



Breedte indeling







- * werkende breedte normale dakpan 225 mm (speling +2 of -2 mm)
- * werkende breedte 2/3 dakpan 150 mm




Lengte indeling


- * latafstanden 355 - 325 mm
- * verdeling zadeldak in array
- * verdeling lessenaarsdak in array




 70 40 225 425 267 70 23 325-355 425 94 49 45 Normale pan De Nieuwe Hollander Plus	 70 40 150 425 192 70 23 325-355 425 94 49 45 2/3 pan De Nieuwe Hollander Plus
 50 60 35 245 425 280 120 23 325-355 425 147 49 45 53 Gevelpan links De Nieuwe Hollander Plus	 50 70 40 205 35 425 280 120 147 425 Gevelpan rechts De Nieuwe Hollander Plus
 70 80 40 225 295 267 140 60 80 135-165 295 94 49 45 Chaperonpan 90° De Nieuwe Hollander Plus	 70 80 40 150 295 192 140 60 80 135-165 295 94 49 45 2/3 chaperonpan 90° De Nieuwe Hollander Plus




Chaperongevelpan links 90°
De Nieuwe Hollander Plus




Chaperongevelpan rechts 90°
De Nieuwe Hollander Plus




knikpan 140°
De Nieuwe Hollander Plus






2/3 knikpan 140°
De Nieuwe Hollander Plus




knikgevelpan links 140°
De Nieuwe Hollander Plus




knikgevelpan rechts 140°
De Nieuwe Hollander Plus


 Ventilatiepan (geometrisch doorlaat ? 0.000 mm²)	 Huismussenpan
 Dubbele welpan	




halfronde vorst Plus




halfronde beginvorst Plus




halfronde eindvorst Plus




halfronde hoekkeperbeginvorst Plus




hoekkeperbegin schubvorst Plus



schubvorst Plus



broekstuk 3x halfronde vorst Plus



broekstuk 1x halfronde vorst Plus + 2x Schubvorst Plus